

University of Mississippi

eGrove

Honors Theses

Honors College (Sally McDonnell Barksdale
Honors College)

2018

Measuring the Effects of Prosthetic Tactile Pacing on Overt Stuttering Frequency in Adults Who Stutter

Sydney Elizabeth Gully

University of Mississippi. Sally McDonnell Barksdale Honors College

Follow this and additional works at: https://egrove.olemiss.edu/hon_thesis



Part of the [Communication Sciences and Disorders Commons](#)

Recommended Citation

Gully, Sydney Elizabeth, "Measuring the Effects of Prosthetic Tactile Pacing on Overt Stuttering Frequency in Adults Who Stutter" (2018). *Honors Theses*. 886.

https://egrove.olemiss.edu/hon_thesis/886

This Undergraduate Thesis is brought to you for free and open access by the Honors College (Sally McDonnell Barksdale Honors College) at eGrove. It has been accepted for inclusion in Honors Theses by an authorized administrator of eGrove. For more information, please contact egrove@olemiss.edu.

MEASURING THE EFFECTS OF PROSTHETIC TACTILE PACING ON
OVERT STUTTERING FREQUENCY IN ADULTS WHO STUTTER

by
Sydney Elizabeth Gully

A thesis submitted to the faculty of The University of Mississippi in partial fulfillment of
the requirements of the Sally McDonnell Barksdale Honors College.

University, MS
May 2018

Approved by

Advisor: Dr. Gregory Snyder

Reader: Dr. Toshikazu Ikuta

Reader: Dr. Mark Loftin

© Sydney Gully
2018
ALL RIGHTS RESERVED

ACKNOWLEDGEMENTS

First and foremost I would like to express my sincerest gratitude to my advisor, Dr. Snyder, for his continued guidance, patience, and mentorship. This would not have been possible without the tremendous amount of time he dedicated to me throughout this process. I would also like to thank Dr. Toshikazu Ikuta and Dr. Mark Loftin for their time and valued feedback. I must extend a huge thank you to my research assistant, Lizzy Wylot, for her friendship, time, and help with data collection. Finally, I would like to express my deepest appreciation to my family and friends whose constant love, wisdom, and support encouraged me through the good days and bad days. The completion of this project was only possible because of you.

ABSTRACT

While the cause has been historically enigmatic, persistent stuttering exhibits distinct behavioral, neural and genetic characteristics. Throughout many years, a variety of motoric treatments have attempted to ameliorate overt stuttering behaviors; however, most therapeutic options provide unstable, effortful, and/or unnatural sounding results with high relapse rates. Conversely, research documents natural sounding speech coupled with stable and effortless reductions in overt stuttering frequency when a person who stutters is exposed to speech feedback of a second speech signal (i.e. choral speech). The most prolific clinical use of this technology is a prosthetically introduced auditory second speech signal; yet its current application has several technological and environmental limitations, and may not be tolerated well by users. Conversely, the tactile modality may be more comfortable relative to prosthetic implementation and thus better suited for activities of daily living. Prosthetic tactile speech feedback, in the form of a tactile second speech signal, is still a young technology and is currently in development. However, an immediate and inexpensive alternative to real-time speech feedback of a tactile second speech signal may be vibrotactile pacing administered through a smartphone application.

Thirteen adults with persistent stuttering participated in this study, which included data collection sessions once a week for four weeks over videoconference. Participants read three ~300 syllable, junior high passages under three different speaking conditions, including a control, a deactivated phone, and a activated smartphone application; moments of overt stuttering were counted by the primary investigator as well as a trained research assistant. The results of this study demonstrate a main effect of the tactile pacing

smartphone application on overt stuttering frequency. Bonferroni post hoc analysis reveals significant differences between the control speaking condition and the vibrotactile smartphone application ($p=.000$) as well as between the deactivated smartphone and the vibrotactile smartphone application ($p=.033$). Based on these data, an inexpensive tactile pacing smartphone application, such as the StutterLess application used in this study, might be an inexpensive and beneficial prosthetic treatment option.

TABLE OF CONTENTS

ACKNOWLEDGEMENTS	iii
ABSTRACT	iv
LIST OF TABLES AND FIGURES	vii
TABLE OF ACRONYMS	viii
INTRODUCTION	1
METHODS	10
PARTICIPANTS AND STUDY DESIGN.....	10
PROTOCOL.....	10
APPARATUS.....	13
CONTROL AND EXPERIMENTAL SPEAKING CONDITIONS.....	13
DATA COLLECTION AND RELIABILITY ANALYSIS.....	14
RESULTS	15
DISCUSSION	23
BIBLIOGRAPHY	26

LIST OF TABLES AND FIGURES

Table 1.....	12
Table 2.....	17
Figure 1.....	19
Table 3.....	21
Figure 2.....	22

TABLE OF ACRONYMS

PS	Persistent Stuttering
SLD	Stuttering Like Disfluencies
PWS	People Who Stutter
QoL	Quality of Life
CWS	Children Who Stutter
SLP	Speech Language Pathologist
ADL	Activities of Daily Living
AAF	Altered Auditory Feedback
SSS	Second Speech Signal
DAF	Delayed Auditory Feedback
FAF	Frequency Altered Feedback
OASES	Overall Assessment of the Speaker's Experience of Stuttering
RM-ANOVA	Repeated Measure Analysis of Variance

INTRODUCTION

Researchers typically cite persistent stuttering (PS) as a life-long speech disorder characterized by 3% or more stuttered syllables (i.e. speech blocks, whole word and partial word repetitions, prolongations, or postural fixations of sounds and/or syllables) during speech production (Bloodstein & Ratner, 2008). Stuttering like disfluencies (SLDs) typically emerge between 3 and 5 years of age in approximately 5% of children. Although data suggest that approximately 80% of children exhibiting SLDs spontaneously recover regardless of treatment (Yairi & Ambrose, 1999; Yairi, Ambrose, Paden & Throneburg, 1996), the remaining 20% will demonstrate PS throughout their lifetime (Bloodstein & Ratner, 2008; Van Brosel, 2014).

Coupled with overt stuttering behaviors, people who stutter (PWS) exhibit distinctly irregular neural activation patterns (Fox, 2000; Giraud, 2008; Chang, Kenney, Loucks & Ludlow, 2009; Kell, Neumann, von Kriegstein, Posenenske, von Gudenberg, Euler & Giraud, 2009; Ingham, Grafton, Bothe & Ingham, 2012). Abnormal activations within the cortico-basal-ganglia-thalamo-cortical (CBGTC) loop, which has demonstrated a significant role in motor preparation (Bohland, Bullock, & Guenther, 2010), have shown a positive correlation with the frequency and severity of stuttering behaviors (Braun, Varga, Stager, Schulz, Selbie, Maisog & Ludlow, 1997; Chang et al., 2009; Fox, 2000; Giraud, 2008; Ingham et al., 2012; Kell et al., 2009; Vanhoutte, Santens, Cosyns, van Mierlo, Batens, Corthals & Borsel, 2015; Vanhoutte et al., 2016). Atypical neural activation patterns associated with PS include hypo-activity in left-lateralized activations; hyperactivity in the cerebrum, cerebellum and right hemisphere

(De Nil, Kroll, Lafaille, & Houle, 2003; Fox, Ingham, Ingham, Hirsch, Downs, Martin & Lancaster, 1996; Watkins, Smith, Davis, & Howell, 2007; Xuan, Meng, Yang, Zhu, Wang, Yan & Yu, 2012; Brown, Ingham, Ingham, Laird, & Fox, 2005; Foundas, Corey, Angeles, Bollich, Crabtree-Hartman & Heilman, 2003; Fox, 2000; Sowman, Crain, Harrison, & Johnson, 2012); decreased cerebral glucose uptake (Wu et al., 1995); and significantly increased dopaminergic activity (Wu et al., 1997). These neurological abnormalities manifest themselves in compensatory behavioral moments of stuttering as a means to overcome a ‘block at the central level’ that is experienced by those who stutter (Guntupali, Kalinowski, & Saltuklaroglu, 2006; Snyder, Waddell, & Blanchet, 2016). Therefore, enhanced fluency is associated with gross changes in neural processing (Vanhoutte, et al., 2015; Vanhoutte et al., 2016; Wu et al. 97; Alm, 2004; Salmelin, Schnitzler, Schmitz, Jancke, Witte & Freund, 1998; Watkins et al., 2007; Chang et al., 2009).

In addition to behavioral and neurological characteristics, research documents a genetic component of stuttering (Ambrose, Cox & Yairi, 1997). Research has repeatedly reported this genetic link in twins with PS (Felsenfeld, Kirk, Zhu, Statham, Neale & Martin, 2000; Dworzynski, Remington, Rijdsdijk, Howell & Plomin, 2007; Fagnani, Fibiger, Skyttthe & Hjelmborg, 2011; Bloodstein, 1961; Ooki, 2005) as well as in families (Viswanath, Lee & Chakraborty, 2004; Kidd, Kidd & Records, 1978; Seider et al., 1983; Cox, Seider & Kidd, 1984). Kang et al. (2010) confirmed the presence of genetic features, as they documented a polygenetic basis for PS. While it is unlikely that all families and populations share the same genetic markers (Alm and Risberg, 2007), links causal to stuttering have been discovered on chromosomes 12 (Riaz, Steinberg, Ahmad,

Pluzhnikov, Riazuddin, Cox & Drayna, 2005), 3q (Raza, Riazuddin & Drayna, 2010), 16q (Raza, Amjad, Riazuddin & Drayna, 2012), 2p, 3p (Raza, Gertz, Mundorff, Lukong, Kuster, Schaffer & Drayna, 2013), and 10 (Domingues, Olivera, Oliveira, Juste, Andrade, Giacheti & Drayna, 2014) in specific populations within the stuttering community (Kang et al., 2010; Lee, Kang, Drayna & Kornfeld, 2011; Raza, Mattera, Morell, Sainz, Rahn, Gutierrez & Drayna, 2015; Riaz et al., 2005; Shugart, Mundorff, Kilshaw, Doheny, Doan, Wanyee & Drayna, 2004; Suresh, Ambrose, Roe, Pluzhnikov, Wittke-Thompson & Cox, 2006; Wittke-Thompson, Ambrose, Yairi, Roe, Cook & Cox, 2007). An underlying connection between these different polygenetic mutations was unidentified until results from Raza et al.'s (2015) study documented a genetic mechanism that unifies each of these mutations to intracellular trafficking through *Adaptor Related Protein Complex 4 Epsilon 1 Subunit (AP4E1)*. Accordingly, researchers hypothesize that any new links discovered in the future will also be attributed to deficits in this genetic process.

While a complete understanding of the etiology and nature of PS remains elusive, research documents a number of negative consequences when living with stuttering, including social, personal, professional, and quality of life (QoL), beginning in childhood and extending throughout adulthood. Children who stutter (CWS) were more likely to be socially rejected, more likely to be perceived negatively, less likely to be popular, and less likely to be nominated as a 'leader' compared to fluent peers (Davis S., Howell P., Cooke F., 2007). In one study CWS were six times more likely to have a social anxiety disorder, seven times more likely to have a subclinical generalized anxiety disorder, and four times more likely to have any anxiety disorder (Iverach, Jones, McLellan, Lyneham,

Menzies, Onslow, 2016). Adolescents who stutter (Blood & Blood, 2004) and CWS (Mooney & Smith, 1995) are also more susceptible to bullying.

Data documents that Speech-Language Pathologists (SLPs) (Lass, Ruscello, Pannbacker, Schmitt & Everly-Myers, 1989; Silverman, 1982; Turnbaugh, Guitar & Hoffman, 1979; Woods & Williams, 1971; Yairi & Williams, 1970), teachers (Crowe & Walton, 1981; Lass, Ruscello, Schmitt, Pannbacker, Orlando, Dean & Bradshaw, 1992; Woods & Williams, 1976; Yeakle & Cooper, 1986), college students (Betz, Blood & Blood, 2008), parents (Crowe & Cooper, 1977; Woods & Williams, 1976), school age children (Franck, Jackson, Pimentel, & Greenwood, 2003; Hartford & Leahy, 2007) and protective service workers (Li, Arnold & Beste-Guldborg, 2016) hold negative stereotypes of PWS (i.e. quiet, reticent, guarded, avoiding, nervous, and afraid). Due to stereotyping and stereotype threats (i.e. when a person feels fear of conforming to the predetermined stereotype that has been ascribed to him or her) PWS may not reach their full potential (Steele & Aronson, 1995) or experience negative professional assessment and overall decreased QoL (Schmader, Johns & Forbes, 2008; Sekaquaptewa & Thompson, 2003).

The fundamental attribution error is the natural tendency of a person to perceive others' behaviors as negative or awkward and attribute them to their psychological character even when environmental involvement is known (Jones & Harris, 1967); accordingly, the fundamental attribution error can be extended to account for the misattribution of stuttering to psychological anxiety, unfriendliness, and shyness. This incorrect assumption has led to discrimination and negative stigmas (Boyle, 2013). PWS have reported that the negative perception of their speech has led to erroneous

assessments within a professional setting, affected their ability to get a job, as well as hindered the advancement of their career (Hurst & Cooper, 1983; Klein & Hood, 2004; Williams, 2006). Due to unfounded perceptions of stuttering, adults who stutter experience a significant negative impact on their lives, which in turn decreases their QoL (Craig, Blumgart & Tran, 2009; Dorsey & Guenther, 2000; Franck et al., 2003; Hawton, Green, Dickens, Richards, Taylor, Edwards & Campbell, 2011; Hughes, Gabel, Irani, & Schlagheck, 2010; McGee, Kalinowski & Stuart, 1996; McKinnon, Hess & Landry, 1986; Yaruss, 2010) and creates a feeling of social isolation (Allport, 1985). Further, adults with PS were found to be at an increased risk of poor emotional performance in vitality, social functioning, emotional functioning, and mental health status (Craig et al., 2009).

Given the documented negative impacts relative to the QoL of PWS, a wide variety of stuttering treatments, most commonly psychological or behavioral (Bloodstein & Ratner, 2008), have been designed to reduce overt stuttering frequency and improve QoL. While peer reviewed data from behavioral, suggest overall treatment efficacy (Blomgren, 2010; Bloodstein & Ratner, 2008), an exhaustive review of therapeutic approaches over the course of decades found that although these approaches are often diametrically opposed in both theoretical basis and implementation method, yet data suggest that all treatment options yield similar results (Bloodstein & Ratner, 2008; Guntupalli et al., 2006; Dayalu & Kalinowski, 2002). Moreover, these approaches often do not produce long-term amelioration, particularly relative to real world application in ADL (Yaruss, Scott, Quesal, Reeves, Lawrence, Molt, Kluetz, Caruso, McClure &

Lewis, 2002; Stewart & Richardson, 2004; Blomgren, Roy, Callister & Merrill, 2005; Blomgren, 2010).

When considering the often unstable (Bloodstein, 1995; Kalinowski & Saltuklaroglu, 2004; Stewart & Richardson, 2004; Yaruss et al., 2002), effortful (Dayalu & Kalinowski, 2002; O'Brian, Onslow, Cream & Packman, 2003; Perkins, 1983; Webster, 1980), unnatural sounding (Armson & Kalinowski, 1994; Dayalu & Kalinowski, 2002; Kalinowski, Noble, Armson, & Stuart, 1994; McClean, Kroll & Loftus, 1990; Metz, Schiavetti & Sacco, 1990; Story, Alfonso & Harris, 1996; Onslow et al., 1992) results with high relapse rates (Saltuklaroglu & Kalinowski, 2005), a need for better treatment options is clear. Often overlooked, early examples of exogenous (non-behavioral) treatment strategies, such as metronomic pacing, rhythmicity, and syllabification, provided promising results (Bloodstein & Ratner, 2008; Brayton & Conture, 1978; Hutchinson & Navarre, 1977; Perkins, Bell, Johnson & Stocks, 1979). More recent implementations of exogenous treatment strategies include prosthetic stuttering management (Kalinowski et al., 2004) and pharmaceutical stuttering management (Kalinowski et al., 2004). Given the significant genetic components of stuttering, current research is targeting pharmaceutical intervention, such as dopaminergic antagonists (Wu et al., 1997), and prosthetics that utilize altered auditory feedback (AAF) through a second speech signal (SSS) (Kalinowski et al., 2004). While pharmaceuticals have documented some success in certain cases of PS, the side effects and risks associated with many drugs in current use (i.e. weight gain, dry mouth, fatigue, tardive dyskinesia, galactorrhea, sexual dysfunction, amenorrhea, and dysphoria) have prevented mainstream implementation, especially with children and those with a lower

degree of stuttering severity (Bothe, Davidow, Bramlett, Franic, & Ingham, 2006; G.A. Maguire et al., 2000).

On the contrary, utilizing a SSS via AAF (in the forms of delayed auditory feedback (DAF) and frequency altered feedback (FAF)) is suggested to be the most effective treatment approach to PS (Armson & Stuart, 1998; Hargrave, Kalinowski, Stuart, Armson, & Jones, 1994; Howell, Sackin & Williams, 1999; Kalinowski, Stuart, Wamsley & Rastatter, 1999; Macleod, Kalinowski, Stuart, & Armson, 1995; Sparks, Grant, Millay, Walker-Batson & Hynan, 2002; Stuart, Kalinowski, Rastatter, Saltuklaroglu & Dayalu, 2004; Van Borsel, Reunes & Van den Bergh, 2003). A SSS is the speech feedback of a second linguistically similar and simultaneous speech signal relative to the originally spoken speech signal (Andrews, Howie, Dozsa & Guitar, 1982; Kalinowski et al., 2000; Snyder et al., 2009a; Snyder et al., 2009b). Research has demonstrated that SSSs are effective whether it be implemented via the auditory, visual, or tactile sensory modality. (Hargrave et al., 1994; Snyder et al., 2009a; Snyder et al., 2009b; Kalinowski et al., 2000; Snyder et al., 2016) However, commercially available applications of SSSs relative to fluency enhancement are currently limited to AAF. Given optimal environmental circumstances, this method produces an excellent reduction of overt stuttering frequency with minimal client discomfort (Armson & Stuart, 1998; Armson, Foote, Witt, Kalinowski & Stuart, 1997; Hargrave et al., 1994; Howell et al., 1999; Ingham, Moglia, Frank, Ingham, & Cordes, 1997; Kalinowski et al., 1993; Kalinowski et al., 1996; Kalinowski et al., 1999; Macleod et al., 1995; Sparks et al., 2002; Stuart et al., 1996; Stuart et al., 1997; Stuart et al., 2004; Van Borsel et al., 2003). However, in loud environments, the signal to noise ratio creates a challenging

environment for PWS; therefore real-world application is problematic (Lincoln, Packman & Onslow, 2006).

Appreciating the natural challenges and limitations of prosthetically introduced AAF SSSs, researchers have studied the prosthetic use of tactile SSSs as a better and more comfortable means to enhance fluency in those who stutter (Snyder et al., 2009). Self-generated tactile speech feedback has been shown to significantly decrease stuttering behaviors (Waddell, Goggans & Snyder, 2012). In furthering this research paradigm, tactile speech feedback researchers have demonstrated that using an accelerometer, rather than a microphone, to capture the speakers' primary SSS provides comparable fluency enhancement; as a result, accelerometer based prosthetic tactile speech feedback devices are functionally immune from the signal to noise challenges inherent in auditory speech feedback methodologies (Waddell et al., 2012). Accordingly, tactile speech feedback fluency enhancement holds promise relative to the effective reduction of overt stuttering behaviors; however, prosthetic tactile speech feedback is still a young technology and currently in development, and is thus not commercially available. However, fluency enhancement as a function of tactile stimulation may be approximated with ubiquitous handheld smartphone devices, all of which are equipped with tactile stimulators (Hwang, Song, Gim, 2015). One such example may be the infusion of a known exogenous fluency enhancing methodology, in the form of pacing (Bloodstein & Ratner, 2008), with tactile stimulation provided by modern smartphones. Accordingly, researchers and entrepreneurs from StutterLess LLC (Carter & Weaver, Limited Liability Company 1104961, 2016) have developed an inexpensive smartphone application that provides pacing via rhythmic tactile stimulation.

Although this unconventional approach has yet been examined, the promise of an inexpensive and tactile pacing smartphone application has the potential of providing a novel stuttering treatment alternative.

METHODS

Participants and study design

Thirteen adults with PS (range= 23-69 years; mean= 38.38; SD=14.06), four self-identified females and nine self-identified males, participated in this study. Participants reported English proficiency and no additional diagnosed attention, speech, hearing or language disorders. As some researchers qualify PS as a function of frequency, three percent or more stuttered syllables during the control speaking condition served as inclusion criteria for this study; for the purposes of this study, primary overt stuttering behaviors were defined as gestural prolongations, repetitions, and inaudible gestural fixations. Participants also completed the Overall Assessment of the Speaker's Experience of Stuttering (OASES) (Yaruss & Quesal, 2006). Each participant verbally acknowledged an understanding of this study as well as informed consent prior to the first session.

Protocol

This study, which aimed to measure the effects of tactile pacing delivered by a smartphone application on overt stuttering frequency, was comprised over four weeks. Data was collected at the initial interview and at the end of each week thereafter. All data was collected over videoconference.

During the initial session, participants provided informed consent prior to participating in this study. Each participant then completed the OASES, as a baseline self-reported measure. Stuttering impact scores were calculated for individual sections of the survey as well as a total impact score based upon each participant's answers. Eight

participants received overall impact ratings of Mild-to-Moderate, four received Moderate ratings, and one received a Moderate-to-Severe rating. For participant demographic information, see Table 1.

During each data collection session, participants were instructed to read a different passage aloud under three different speaking conditions. All of the passages used in this study have been used in previous research (Snyder et al., 2009); the first 300 syllables were used in data analysis. Latin Squares were used to balance both the reading passages and order of speaking conditions. Participants were asked to refrain from using any fluency enhancing techniques learned in therapy or self-taught compensatory strategies. Individuals were also instructed to use the StutterLess application no less than five times each day while participating in this research.

Table 1

	Gender:	Age:
Participant 1	F	30
Participant 2	M	32
Participant 3	M	24
Participant 4	F	23
Participant 5	M	34
Participant 6	F	55
Participant 7	M	69
Participant 8	M	50
Participant 9	M	43
Participant 10	M	23
Participant 11	M	37
Participant 12	F	43
Participant 13	M	36

Table 1: Distribution of age and gender

Apparatus

During this study, participants were provided with a tactile pacing smartphone application for either iOS or Android mobile device platform. The mobile application, StutterLess, was offered to participants in a pre-released stage of software development via a third-party application, Ionic View Version e30ae3ef (Drifty, 2017), which allows software developers to test and share their applications across different platforms. This application utilizes a smartphone to provide speech-related prosthetic tactile pacing. Upon opening the application, participants were instructed to gently touch the screen of their mobile device each time they initiated speech, thereby activating the metronomic tactile pacing. Upon sensing the vibrations, participants were instructed to pair speech initiation with the tactile signal. Participants were asked to maintain their natural speed and prosody of speech. When the application is activated, touching the screen delivers pulsating tactile vibrations through the phone's tactile stimulators. Frequency of metronomic tactile pacing can be adjusted from every 0.6 seconds to one second. Participants were instructed to find their optimal frequency of which they were most comfortable; each participant reported setting the tactile frequency at 0.6 seconds.

Control and experiment speaking conditions

Three speaking conditions were used in this study. During the control speaking condition, individuals were instructed to read passages aloud without the use of any fluency enhancing techniques with phones turned off and out of reach. For the next speaking condition, participants were instructed to speak without using any fluency enhancing techniques and touch their inactive phone in the same manner in which they would use the application. In the final speaking condition, participants were asked to

refrain from using any fluency enhancing techniques while touching their active smartphone running the StutterLess application.

Data collection and reliability analysis

Each data collection session was held over videoconferencing (Skype version 8.16.0.4). The sessions were recorded using the software application Telestream ScreenFlow Version 6.2 (28271), which recorded audio and video using the laptop's internal camera and microphone. Stuttered syllables were counted from the first 300 syllables of each passage. Intrajudge and interjudge reliability compared the analysis of 10% of randomly chosen speech samples with the original analysis of the data. Relative to stuttering frequency, an intrajudge syllable-by-syllable agreement was > 0.94 , with an interjudge syllable-by-syllable agreement of > 0.89 , as indexed by Cohen's kappa (Cohen, 1960). Kappa values exceeding 0.75 suggest an excellent agreement beyond chance (Fleiss, 1981)

RESULTS

Stuttering Frequency and Data Transformation

Using the raw data, the mean frequency of stuttered syllables for the control speaking condition was 20.46 (SD=17.16). For the condition in which participants lightly touched their inactive phone, the mean frequency of stuttered syllables was 18.04 (SD=16.19). For the experimental condition testing the smartphone application, the mean frequency of stuttered syllables was 15.00 (SD=13.46). Within the small sample size of this study, overt stuttering frequency varied greatly between participants. To normalize the data distribution, a square root transformation was performed (Onslow et al., 2006).

The effects of smartphone application on stuttering frequency with time as a covariant

Given the possibility that time served as a covariant in this dataset, a repeated measure analysis of variance (RM-ANOVA) of tactile pacing speaking condition on overt stuttering frequency, including time (i.e. progression of sessions over 4 weeks) as a covariant was performed [$F(2,68)=2.215$, Greenhouse-Geisser $p=.117$, $\eta^2=.061$]; the interaction between the tactile pacing speaking condition by time was [$F(2,68)=0.121$, Greenhouse-Geisser $p=.1886$, $\eta^2=.004$]. With data suggesting that time was not functioning as a covariate, a univariate analysis relative to the tactile smartphone application and time was performed and revealed no interaction [$F(1,46)=0.261$, $p=0.612$, $\eta^2=.006$], thereby confirming that time did not serve as a covariate in this dataset. Accordingly, the RM-ANOVA was re-run without time as a covariate as a means to enhance the power of these data to detect a main effect of tactile speech feedback

speaking condition. See Table 2 for averages of stuttering frequency as a function of time.

Table 2

Week	Control	Deactivated Smartphone	Smartphone with Tactile Pacing Application
Initial Evaluation	Mean=21.23, SD=16.58	Mean=19.08, SD=14.65	Mean=16.38, SD=16.72
End of Week 1	Mean=20.15, SD=16.53	Mean=18.23, SD=19.01	Mean=16.00, SD=14.62
End of Week 2	Mean=20.46, SD=18.10	Mean=18.38, SD=16.67	Mean=13.85, SD=8.95
End of Week 3	Mean=19.78, SD=20.37	Mean=15.78, SD=15.86	Mean= 13.22, SD=13.94

Table 2: Mean overt stuttering frequency by condition over time

The effects of smartphone application on stuttering frequency without time as a covariant

The previous measure was then repeated, excluding time as a covariant, as a means to improve the power of the study. This RM-ANOVA revealed significant main effect of the smartphone application on overt stuttering frequency [$F(2,70)=13.112$, Greenhouse-Geisser $p=.000$, $\eta^2=.273$]. The interaction between stuttering frequency as a function of speaking condition by participant yielded [$F(2,70)=1.569$, Greenhouse-Geisser $p=.075$, $\eta^2=.350$]. See figure 1 for a distribution of overt stuttering frequency for each speaking condition, collapsed over time, for each participant. These data reveal that eight out of thirteen participants saw reductions in overt stuttering frequency while using the tactile pacing smartphone application.

Figure 1




Figure 1: Distribution of overt stuttering frequency for each speaking condition, collapsed over time, for each participant

Post-hoc of speaking condition

Bonferroni post-hoc comparisons demonstrate that the control speaking condition is significantly different from the tactile pacing smartphone application ($p=.000$) and the deactivated smartphone speaking condition is significantly different from the tactile pacing smartphone application ($p=.033$). However, the control and deactivated phone speaking conditions are not significantly different from each other ($p=.071$).

Self-Reported Stuttering Severity

As trending data suggests participants may have responded to the tactile smartphone application differently, analyses were performed if an ideal client for the tactile pacing smartphone application could be identified with the available data. The hypothesis that participants with a higher level of self-reported severity, based upon the OASES, would respond best to the application was unsupported [$F(1,46)=.436$, $p=0.536$, $\eta^2=0.009$]. See Table 3 for OASES severity by participant. Interestingly, an apparent inverse relationship between overt stuttering frequency and OASES severity was observed (Figure 2).

Table 3

Participant	OASES – Section 1: General Information	OASES – Section 2: Personal Reactions	OASES – Section 3: Communication in Daily Situations	OASES – Section 4: Quality of Life	OASES – Total Severity Score
Participant 1	Moderate	Moderate	Moderate	Moderate	Mild-to-Moderate
Participant 2	Mild-to-Moderate	Moderate	Moderate	Mild-to-Moderate	Mild-to-Moderate
Participant 3	Moderate	Moderate	Moderate	Mild	Mild-to-Moderate
Participant 4	Moderate	Moderate	Moderate	Mild-to-Moderate	Mild-to-Moderate
Participant 5	Mild-to-Moderate	Moderate	Mild-to-Moderate	Moderate	Mild-to-Moderate
Participant 6	Mild-to-Moderate	Moderate	Mild-to-Moderate	Mild-to-Moderate	Mild-to-Moderate
Participant 7	Moderate-to-Severe	Severe	Moderate	Moderate	Moderate-to-Severe
Participant 8	Mild-to-Moderate	Moderate	Moderate-to-Moderate	Moderate	Mild-to-Moderate
Participant 9	Moderate-to-Severe	Severe	Moderate	Moderate-to-Severe	Moderate
Participant 10	Moderate	Moderate	Moderate	Mild	Mild-to-Moderate
Participant 11	Moderate-to-Severe	Moderate-to-Severe	Moderate	Mild	Moderate
Participant 12	Moderate	Moderate-to-Severe	Moderate	Moderate	Moderate
Participant 13	Mild-to-Moderate	Moderate-to-Severe	Moderate-to-Severe	Moderate	Moderate

Table 3: Section 1, 2, 3, and 4 are comprised of general information, personal reactions to stuttering, communication in daily situations, and quality of life respectively.

Figure 2




Figure 2: Overt Stuttering Frequency as a function of Self-Reported Stuttering Severity

DISCUSSION

Data suggests that the StutterLess smartphone application provided reductions in overt stuttering frequency for a majority of its users. Additionally, data suggests that the resulting fluency enhancement was relatively stable and did not adapt over time.

Considering the inexpensive and globally accessible nature of a multiplatform smartphone application, the StutterLess application may be a worthwhile option for those who stutter to explore.

While the StutterLess tactile pacing smartphone application provided a significant reduction in overt stuttering frequency, these data suggest that fluency enhancement from tactile pacing may not be as powerful or efficient as methodologies using the SSS (Kalinowski et al., 2004). One explanation for the profound fluency enhancement associated with exposure of a SSS may be found in the mirror neuron systems hypothesis (MNSH) (Snyder et al., 2016; Snyder & Jones, 2017). When a person with PS is exposed to a SSS, it is hypothesized that mirror neurons are activated as the exogenous motoric gestures (i.e. speech) of another person are immediately mapped for endogenous imitation, thereby allowing the person with PS to fluently initiate speech gestures (Snyder et al., 2016). Data from recent studies suggest that activation of mirror neurons results in significantly effective, effortless, stable, and natural sounding fluent speech, which suggests that the compensatory nature of overt stuttering behaviors are neurologically bypassed via the activation of mirror neuron systems (Snyder et al., 2016). As this study likely did not result in the activation of mirror neurons, it is expected that the resulting fluency enhancement will not be as robust.

While data documents that the StutterLess smartphone application provides reductions in overt stuttering frequency, the efficacy of fluency enhancement varied significantly between participants. Initial analysis of these data was unable to account for this variation, as self-reported severity scores (OASES) within this study were unable to successfully predict the efficacy or efficiency of subsequent fluency enhancement. However, initial genetic data suggests differential treatment results as a function of polygenetic subtypes of stuttering (Drayna, 2017). As a result, researchers may consider including genetic data as a covariant in future studies. Additionally, a larger sample size of participants, with a balance of overt stuttering severity, will likely provide greater power to detect differences within the dataset. Clinically, the application may be utilized as a therapeutic supplement, perhaps as a means of priming targeted speech-motor therapy behaviors. The application also seems to have a viable future for intermittent use to mediate disfluencies in specifically difficult speaking circumstances or environments. Examples include talking on the telephone, conference calls, ordering at a drive through, during presentations and other professional or social situations.

Finally, the combination of an inexpensive smartphone application reduces the financial barrier of entry for its users; additionally, participants in this study reported no accompanying health or comfort issues when using the StutterLess tactile pacing smartphone application. While resulting fluency enhancement varied by participant, and while the accompanying fluency enhancement was not as powerful or robust as that of a SSS, tactile pacing was still found to be effective for the majority of its users, while entirely avoiding the documented challenges associated with an auditory SSS (Bothe, Finn & Bramlett, 2007; Gallop & Runyan, 2012; Pollard, Ellis, Finan & Ramig, 2009).

LIMITATIONS

The small sample size may have impacted the power and external validity of this study; additionally, longer reading passages may provide a better sample of overt stuttering behaviors. Additionally, participants in this study varied greatly relative to overt stuttering severity; accordingly, future research may balance overt stuttering severity within the participant group. This study utilized videoconferencing as a means of increasing participant recruitment. However, online data collection over videoconference was accompanied by additional complications, such as the quality of Internet conductivity and signal interruptions. Additionally, should this study be replicated, additional surveys and measures on client speech effort and client speech naturalness may be beneficial relative to the overall effectiveness of prosthetic tactile pacing administered through a smartphone application. Finally, future studies may consider incorporating a conversational speech sample in addition to reading passages, as a means to better represent the effects of the technology on overt stuttering frequency and QoL.

BIBLIOGRAPHY

- Adriaensens, Stefanie, Sara Van Waes, and Elke Struyf. "Comparing Acceptance and Rejection in the Classroom Interaction of Students Who Stutter and Their Peers: A Social Network Analysis." *Journal of Fluency Disorders* 52 (June 2017): 13–24.
<https://doi.org/10.1016/j.jfludis.2017.02.002>.
- Allard, Emily R., and Dale F. Williams. "Listeners' Perceptions of Speech and Language Disorders." *Journal of Communication Disorders* 41, no. 2 (March 2008): 108–23.
<https://doi.org/10.1016/j.jcomdis.2007.05.002>.
- Allport, Gordon W. *The Nature of Prejudice*. Nachdr. Reading, Mass.: Addison-Wesley, 1985.
The Nature of Prejudice. Nachdr. Reading, Mass.: Addison-Wesley, 1985.
- Alm, Per A. (2004). Stuttering and the basal ganglia circuits: A critical review of possible relations. *Journal of Communication Disorders*, 37(4), 325-369.
doi:10.1016/j.jcomdis.2004.03.001
- Alm, Per A. "Stuttering in Relation to Anxiety, Temperament, and Personality: Review and Analysis with Focus on Causality." *Journal of Fluency Disorders* 40 (June 2014): 5–21.
<https://doi.org/10.1016/j.jfludis.2014.01.004>.
- Alm, Per A., and Jarl Risberg. "Stuttering in Adults: The Acoustic Startle Response, Temperamental Traits, and Biological Factors." *Journal of Communication Disorders* 40, no. 1 (January 2007): 1–41. <https://doi.org/10.1016/j.jcomdis.2006.04.001>.
- Ambrose, N. G., N. J. Cox, and E. Yairi. "The Genetic Basis of Persistence and Recovery in Stuttering." *Journal of Speech, Language, and Hearing Research: JSLHR* 40, no. 3 (June 1997): 567–80.
- Andrews, Gavin, Pauline M. Howie, Melinda Dozsa, and Barry E. Guitar. "Stuttering: Speech Pattern Characteristics Under Fluency-Inducing Conditions." *Journal of Speech Language and Hearing Research* 25, no. 2 (June 1, 1982): 208.
<https://doi.org/10.1044/jshr.2502.208>.
- Armson, J., and J. Kalinowski. "Interpreting Results of the Fluent Speech Paradigm in Stuttering Research: Difficulties in Separating Cause from Effect." *Journal of Speech and Hearing Research* 37, no. 1 (February 1994): 69–82.
- Armson, Joy, Sheila Foote, Colleen Witt, Joseph Kalinowski, and Andrew Stuart. "Effect of Frequency Altered Feedback and Audience Size on Stuttering." *International Journal of Language & Communication Disorders* 32, no. 3 (January 1997): 359–66.
<https://doi.org/10.3109/13682829709017901>.
- Armson, Joy, and Andrew Stuart. "Effect of Extended Exposure to Frequency-Altered Feedback on Stuttering During Reading and Monologue." *Journal of Speech Language and Hearing Research* 41, no. 3 (June 1, 1998): 479.
<https://doi.org/10.1044/jslhr.4103.479>.
- Au-Yeung, James, Margaret M Leahy, International Fluency Association, and World Congress on Fluency Disorders, eds. *Research, Treatment and Self-Help in Fluency Disorders: New Horizons : Proceedings of the Fifth World Congress on Fluency Disorders, 25-28 July, 2006, Dublin, Ireland*. Place of publication not identified: International Fluency Association, 2007.

- Beijsterveldt, Catharina Eugenie Maria van, Susan Felsenfeld, and Dorret Irene Boomsma. "Bivariate Genetic Analyses of Stuttering and Nonfluency in a Large Sample of 5-Year-Old Twins." *Journal of Speech, Language, and Hearing Research: JSLHR* 53, no. 3 (June 2010): 609–19. [https://doi.org/10.1044/1092-4388\(2009/08-0202\)](https://doi.org/10.1044/1092-4388(2009/08-0202)).
- Betz, Ilana Roth, Gordon W. Blood, and Ingrid M. Blood. "University Students' Perceptions of Pre-School and Kindergarten Children Who Stutter." *Journal of Communication Disorders* 41, no. 3 (May 2008): 259–73. <https://doi.org/10.1016/j.jcomdis.2007.10.003>.
- Block, Susan, Roger J Ingham, and R John Bench. "The Effects of the Edinburgh Masker on Stuttering." *Australian Journal of Human Communication Disorders* 24, no. 1 (June 1996): 11–18. <https://doi.org/10.3109/asl2.1996.24.issue-1.02>.
- Blomgren, Michael. "Stuttering Treatment for Adults: An Update on Contemporary Approaches." *Seminars in Speech and Language* 31, no. 04 (November 2010): 272–82. <https://doi.org/10.1055/s-0030-1265760>.
- Blomgren, M., Roy, N., Callister, T., & Merrill, R. M. (2005). Intensive Stuttering Modification Therapy. *Journal of Speech Language and Hearing Research*, 48(3), 509. doi:10.1044/1092-4388(2005/035)
- Blood, G. W., Blood, I. M., Tellis, G., & Gabel, R. (2001). Communication apprehension and self-perceived communication competence in adolescents who stutter. *Journal of Fluency Disorders*, 26(3), 161-178. doi:10.1016/s0094-730x(01)00097-3
- Bloodstein, O. "Stuttering in Families of Adopted Stutterers." *The Journal of Speech and Hearing Disorders* 26 (November 1961): 395–96.
- Bloodstein, Oliver. *A Handbook on Stuttering*. 5th ed. San Diego, Calif: Singular Pub. Group, 1995.
- Bloodstein, Oliver, and Nan Bernstein Ratner. *A Handbook on Stuttering*. 6th ed. Clifton Park, NY: Thomson/Delmar Learning, 2008. *A Handbook on Stuttering*. 6th ed. Clifton Park, NY: Thomson/Delmar Learning, 2008.
- Boberg, E., and D. Kully. "Long-Term Results of an Intensive Treatment Program for Adults and Adolescents Who Stutter." *Journal of Speech and Hearing Research* 37, no. 5 (October 1994): 1050–59.
- Boberg, Einer, Pauline Howie, and Lee Woods. "Maintenance of Fluency: A Review." *Journal of Fluency Disorders* 4, no. 2 (May 1979): 93–116. [https://doi.org/10.1016/0094-730X\(79\)90009-3](https://doi.org/10.1016/0094-730X(79)90009-3).
- Bohland, Jason W., Daniel Bullock, and Frank H. Guenther. "Neural Representations and Mechanisms for the Performance of Simple Speech Sequences." *Journal of Cognitive Neuroscience* 22, no. 7 (July 2010): 1504–29. <https://doi.org/10.1162/jocn.2009.21306>.
- Bothe, A. K., Finn, P., & Bramlett, R. E. (2007). Pseudoscience and the SpeechEasy: Reply to Kalinowski, Saltuklaroglu, Stuart, and Guntupalli (2007). *American Journal of Speech-Language Pathology*, 16(1), 77. doi:10.1044/1058-0360(2007/010)
- Bothe, Anne K., Jason H. Davidow, Robin E. Bramlett, Duska M. Franic, and Roger J. Ingham. "Stuttering Treatment Research 1970–2005: II. Systematic Review Incorporating Trial Quality Assessment of Pharmacological Approaches." *American Journal of Speech-Language Pathology* 15, no. 4 (November 1, 2006): 342. [https://doi.org/10.1044/1058-0360\(2006/032\)](https://doi.org/10.1044/1058-0360(2006/032)).
- Boyd, Alexander, Katharina Dworzynski, and Peter Howell. "Pharmacological Agents for Developmental Stuttering in Children and Adolescents: A Systematic Review." *Journal*

- of Clinical Psychopharmacology* 31, no. 6 (December 2011): 740–44.
<https://doi.org/10.1097/JCP.0b013e318234ee3b>.
- Boyle, Michael P. “Assessment of Stigma Associated With Stuttering: Development and Evaluation of the Self-Stigma of Stuttering Scale (4S).” *Journal of Speech Language and Hearing Research* 56, no. 5 (October 1, 2013): 1517. [https://doi.org/10.1044/1092-4388\(2013/12-0280\)](https://doi.org/10.1044/1092-4388(2013/12-0280)).
- Brady, J. P. “The Pharmacology of Stuttering: A Critical Review.” *The American Journal of Psychiatry* 148, no. 10 (October 1991): 1309–16.
<https://doi.org/10.1176/ajp.148.10.1309>.
- Braun, A., M. Varga, S. Stager, G. Schulz, S. Selbie, J. M. Maisog, R. E. Carson, and C. L. Ludlow. “Altered Patterns of Cerebral Activity during Speech and Language Production in Developmental Stuttering. An H2(15)O Positron Emission Tomography Study.” *Brain* 120, no. 5 (May 1, 1997): 761–84. <https://doi.org/10.1093/brain/120.5.761>.
- Brayton, Evelyn R., and Edward G. Conture. “Effects of Noise and Rhythmic Stimulation on the Speech of Stutterers.” *Journal of Speech Language and Hearing Research* 21, no. 2 (June 1, 1978): 285. <https://doi.org/10.1044/jshr.2102.285>.
- Broberg, M. “Expectations of and Reactions to Disability and Normality Experienced by Parents of Children with Intellectual Disability in Sweden: Parents of Children with ID.” *Child: Care, Health and Development* 37, no. 3 (May 2011): 410–17.
<https://doi.org/10.1111/j.1365-2214.2010.01198.x>.
- Brown, Steven, Roger J. Ingham, Janis C. Ingham, Angela R. Laird, and Peter T. Fox. “Stuttered and Fluent Speech Production: An ALE Meta-Analysis of Functional Neuroimaging Studies.” *Human Brain Mapping* 25, no. 1 (May 2005): 105–17.
<https://doi.org/10.1002/hbm.20140>.
- Byrd, Courtney T., Robyn Croft, Zoi Gkalitsiou, and Elizabeth Hampton. “Clinical Utility of Self-Disclosure for Adults Who Stutter: Apologetic versus Informative Statements.” *Journal of Fluency Disorders* 54 (December 2017): 1–13.
<https://doi.org/10.1016/j.jfludis.2017.09.001>.
- Chang, Soo-Eun, Mary Kay Kenney, Torrey M.J. Loucks, and Christy L. Ludlow. “Brain Activation Abnormalities during Speech and Non-Speech in Stuttering Speakers.” *NeuroImage* 46, no. 1 (May 15, 2009): 201–12.
<https://doi.org/10.1016/j.neuroimage.2009.01.066>. “Brain Activation Abnormalities during Speech and Non-Speech in Stuttering Speakers.” *NeuroImage* 46, no. 1 (May 15, 2009): 201–12. <https://doi.org/10.1016/j.neuroimage.2009.01.066>.
- Cherry, E. Colin, and Bruce Mc A. Sayers. ““Human “Cross-Correlator””—A Technique for Measuring Certain Parameters of Speech Perception.” *The Journal of the Acoustical Society of America* 28, no. 5 (September 1956): 889–95.
<https://doi.org/10.1121/1.1908506>.
- Corrigan, Patrick W., Patrick J. Michaels, Karina Powell, Andrea Bink, Lindsay Sheehan, Annie Schmidt, Bethany Apa, and Maya Al-Khouja. “Who Comes Out With Their Mental Illness and How Does It Help?.” *The Journal of Nervous and Mental Disease* 204, no. 3 (March 2016): 163–68. <https://doi.org/10.1097/NMD.0000000000000461>.
- Corrigan, Patrick W., and Deepa Rao. “On the Self-Stigma of Mental Illness: Stages, Disclosure, and Strategies for Change.” *The Canadian Journal of Psychiatry* 57, no. 8 (August 2012): 464–69. <https://doi.org/10.1177/070674371205700804>.

- Cox, N. J., Seider, R. A., & Kidd, K. K. (1984). Some Environmental Factors and Hypotheses for Stuttering in Families with Several Stutterers. *Journal of Speech Language and Hearing Research*, 27(4), 543. doi:10.1044/jshr.2704.543
- Craig, A. R., and P. Calver. "Following up on Treated Stutterers: Studies of Perceptions of Fluency and Job Status." *Journal of Speech and Hearing Research* 34, no. 2 (April 1991): 279–84.
- Craig, A. R., and K. Hancock. "Self-Reported Factors Related to Relapse Following Treatment for Stuttering." *Australian Journal of Human Communication Disorders* 23, no. 1 (June 1995): 48–60. <https://doi.org/10.3109/asl2.1995.23.issue-1.04>.
- Craig, Ashley. "Relapse Following Treatment for Stuttering: A Critical Review and Correlative Data." *Journal of Fluency Disorders* 23, no. 1 (February 1998): 1–30. [https://doi.org/10.1016/S0094-730X\(97\)00027-2](https://doi.org/10.1016/S0094-730X(97)00027-2).
- Craig, Ashley, Elaine Blumgart, and Yvonne Tran. "The Impact of Stuttering on the Quality of Life in Adults Who Stutter." *Journal of Fluency Disorders* 34, no. 2 (June 2009): 61–71. <https://doi.org/10.1016/j.jfludis.2009.05.002>.
- Crowe, Thomas A., and Eugene B. Cooper. "Parental Attitudes toward and Knowledge of Stuttering." *Journal of Communication Disorders* 10, no. 4 (June 1977): 343–57. [https://doi.org/10.1016/0021-9924\(77\)90031-4](https://doi.org/10.1016/0021-9924(77)90031-4).
- Crowe, Thomas A., and Julie H. Walton. "Teacher Attitudes toward Stuttering." *Journal of Fluency Disorders* 6, no. 2 (June 1981): 163–74. [https://doi.org/10.1016/0094-730X\(81\)90013-9](https://doi.org/10.1016/0094-730X(81)90013-9).
- Culatta, Richard, and Stanley A. Goldberg. *Stuttering Therapy: An Integrated Approach to Theory and Practice*. Boston: Allyn and Bacon, 1995.
- Davis, S., Howell, P., & Cooke, F. (2002). Sociodynamic relationships between children who stutter and their non-stuttering classmates. *Journal of Child Psychology and Psychiatry*, 43(7), 939-947. doi:10.1111/1469-7610.00093
- Dayalu, Vikram N., and Joseph Kalinowski. "Pseudofluency in Adults Who Stutter: The Illusory Outcome of Therapy." *Perceptual and Motor Skills* 94, no. 1 (February 2002): 87–96. <https://doi.org/10.2466/pms.2002.94.1.87>.
- Dayalu, Vikram N, Tim Saltuklaroglu, Joseph Kalinowski, Andrew Stuart, and Michael P Rastatter. "Producing the Vowel/a/ Prior to Speaking Inhibits Stuttering in Adults in the English Language." *Neuroscience Letters* 306, no. 1–2 (June 2001): 111–15. [https://doi.org/10.1016/S0304-3940\(01\)01869-9](https://doi.org/10.1016/S0304-3940(01)01869-9).
- De Nil, Luc F, Robert M Kroll, Sophie J Lafaille, and Sylvain Houle. "A Positron Emission Tomography Study of Short- and Long-Term Treatment Effects on Functional Brain Activation in Adults Who Stutter." *Journal of Fluency Disorders* 28, no. 4 (December 2003): 357–80. <https://doi.org/10.1016/j.jfludis.2003.07.002>.
- Domingues, C.E.F., C.M.C. Olivera, B.V. Oliveira, F.S. Juste, C.R.F. Andrade, C.M. Giacheti, D. Moretti-Ferreira, and D. Drayna. "A Genetic Linkage Study in Brazil Identifies a New Locus for Persistent Developmental Stuttering on Chromosome 10." *Genetics and Molecular Research* 13, no. 1 (2014): 2094–2101. <https://doi.org/10.4238/2014.March.24.13>.
- Dorsey, Michelle, and R.Kim Guenther. "Attitudes of Professors and Students toward College Students Who Stutter." *Journal of Fluency Disorders* 25, no. 1 (March 2000): 77–83. [https://doi.org/10.1016/S0094-730X\(99\)00026-1](https://doi.org/10.1016/S0094-730X(99)00026-1).
- Drayna, D. "User-Friendly Guide to Stuttering Genetics Research," 2017.

- Dworzynski, Katharina, Anna Remington, Fruhling Rijdsdijk, Peter Howell, and Robert Plomin. "Genetic Etiology in Cases of Recovered and Persistent Stuttering in an Unselected, Longitudinal Sample of Young Twins." *American Journal of Speech-Language Pathology* 16, no. 2 (May 1, 2007): 169. [https://doi.org/10.1044/1058-0360\(2007/021\)](https://doi.org/10.1044/1058-0360(2007/021)).
- Fagnani, Corrado, Steen Fibiger, Axel Skytthe, and Jacob V. B. Hjelmberg. "Heritability and Environmental Effects for Self-Reported Periods with Stuttering: A Twin Study from Denmark." *Logopedics Phoniatrics Vocology* 36, no. 3 (October 2011): 114–20. <https://doi.org/10.3109/14015439.2010.534503>.
- Felsenfeld, S., K. M. Kirk, G. Zhu, D. J. Statham, M. C. Neale, and N. G. Martin. "A Study of the Genetic and Environmental Etiology of Stuttering in a Selected Twin Sample." *Behavior Genetics* 30, no. 5 (September 2000): 359–66.
- Ferrari, Pier Francesco, Vittorio Gallese, Giacomo Rizzolatti, and Leonardo Fogassi. "Mirror Neurons Responding to the Observation of Ingestive and Communicative Mouth Actions in the Monkey Ventral Premotor Cortex: Mirror Neurons for Mouth Actions in F5." *European Journal of Neuroscience* 17, no. 8 (April 2003): 1703–14. <https://doi.org/10.1046/j.1460-9568.2003.02601.x>.
- Finn, Patrick. "Evidence-Based Treatment of Stuttering." *Journal of Fluency Disorders* 28, no. 3 (September 2003): 209–18. [https://doi.org/10.1016/S0094-730X\(03\)00039-1](https://doi.org/10.1016/S0094-730X(03)00039-1).
- Fisher, Simon E. "Genetic Susceptibility to Stuttering." *New England Journal of Medicine* 362, no. 8 (February 25, 2010): 750–52. <https://doi.org/10.1056/NEJMe0912594>.
- Fleiss, J. L. (1981). Balanced Incomplete Block Designs for Inter-Rater Reliability Studies. *Applied Psychological Measurement*, 5(1), 105-112.
doi:10.1177/014662168100500115
- Foundas, A. L., D. M. Corey, V. Angeles, A. M. Bollich, E. Crabtree-Hartman, and K. M. Heilman. "Atypical Cerebral Laterality in Adults with Persistent Developmental Stuttering." *Neurology* 61, no. 10 (November 25, 2003): 1378–85. <https://doi.org/10.1212/01.WNL.0000094320.44334.86>.
- Fox, P. T. "Brain Correlates of Stuttering and Syllable Production: A PET Performance-Correlation Analysis." *Brain* 123, no. 10 (October 1, 2000): 1985–2004. <https://doi.org/10.1093/brain/123.10.1985>.
- Fox, Peter T., Roger J. Ingham, Janis C. Ingham, Traci B. Hirsch, J. Hunter Downs, Charles Martin, Paul Jerabek, Thomas Glass, and Jack L. Lancaster. "A PET Study of the Neural Systems of Stuttering." *Nature* 382, no. 6587 (July 1996): 158–62. <https://doi.org/10.1038/382158a0>.
- Franck, April L., Roberta A. Jackson, Jane T. Pimentel, and Gary S. Greenwood. "School-Age Children's Perceptions of a Person Who Stutters." *Journal of Fluency Disorders* 28, no. 1 (March 2003): 1–15. [https://doi.org/10.1016/S0094-730X\(03\)00002-0](https://doi.org/10.1016/S0094-730X(03)00002-0).
- Franken, Marie Christine, Louis Boves, Herman F.M. Peters, and Ronald L. Webster. "Perceptual Evaluation of the Speech before and after Fluency Shaping Stuttering Therapy." *Journal of Fluency Disorders* 17, no. 4 (January 1992): 223–41. [https://doi.org/10.1016/0094-730X\(92\)90035-O](https://doi.org/10.1016/0094-730X(92)90035-O).
- Gallop, R. F., & Runyan, C. M. (2012). Long-term effectiveness of the SpeechEasy fluency-enhancement device. *Journal of Fluency Disorders*, 37(4), 334-343.
doi:10.1016/j.jfludis.2012.07.001

- “Genetic Factors in Stuttering Confirmed.” *Archives of General Psychiatry* 48, no. 11 (November 1, 1991): 1034. <https://doi.org/10.1001/archpsyc.1991.01810350074012>.
- Giraud, A. “Severity of Dysfluency Correlates with Basal Ganglia Activity in Persistent Developmental Stuttering.” *Brain and Language* 104, no. 2 (February 2008): 190–99. <https://doi.org/10.1016/j.bandl.2007.04.005>.
- Gruber, Leslie. “The Use of the Portable Voice Masker in Stuttering Therapy.” *Journal of Speech and Hearing Disorders* 36, no. 2 (May 1, 1971): 287. <https://doi.org/10.1044/jshd.3602.287>.
- Guitar, Barry. *Stuttering: An Integrated Approach to Its Nature and Treatment*. 4th ed. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins, 2014.
- Guntupalli, Vijaya K., Joseph Kalinowski, and Tim Saltuklaroglu. “The Need for Self-report Data in the Assessment of Stuttering Therapy Efficacy: Repetitions and Prolongations of Speech. The Stuttering Syndrome.” *International Journal of Language & Communication Disorders* 41, no. 1 (January 2006): 1–18. <https://doi.org/10.1080/13682820500126627>.
- Hargrave, Stephanie, Joseph Kalinowski, Andrew Stuart, Joy Armson, and Kathleen Jones. “Effect of Frequency-Altered Feedback on Stuttering Frequency at Normal and Fast Speech Rates.” *Journal of Speech Language and Hearing Research* 37, no. 6 (December 1, 1994): 1313. <https://doi.org/10.1044/jshr.3706.1313>.
- Hartford, E, and M Leahy. “The Perceptions of Primary School Children of a Person Who Stutters.” In *Proceedings of Fluency Disorders*, 217–22, 2007.
- Hawton, Annie, Colin Green, Andy P. Dickens, Suzanne H. Richards, Rod S. Taylor, Rachel Edwards, Colin J. Greaves, and John L. Campbell. “The Impact of Social Isolation on the Health Status and Health-Related Quality of Life of Older People.” *Quality of Life Research* 20, no. 1 (February 2011): 57–67. <https://doi.org/10.1007/s11136-010-9717-2>.
- Heyes, Cecilia. “Where Do Mirror Neurons Come From?” *Neuroscience & Biobehavioral Reviews* 34, no. 4 (March 2010): 575–83. <https://doi.org/10.1016/j.neubiorev.2009.11.007>.
- Hickok, Gregory. “Do Mirror Neurons Subserve Action Understanding?” *Neuroscience Letters* 540 (April 2013): 56–58. <https://doi.org/10.1016/j.neulet.2012.11.001>.
- Howell, Peter, Nirit El-Yaniv, and David J. Powell. “Factors Affecting Fluency in Stutterers When Speaking under Altered Auditory Feedback.” In *Speech Motor Dynamics in Stuttering*, edited by Herman F. M. Peters and Wouter Hulstijn, 361–69. Vienna: Springer Vienna, 1987. https://doi.org/10.1007/978-3-7091-6969-8_28.
- Howell, Peter, Stevie Sackin, and Roberta Williams. “Differential Effects of Frequency-Shifted Feedback between Child and Adult Stutterers.” *Journal of Fluency Disorders* 24, no. 2 (June 1999): 127–36. [https://doi.org/10.1016/S0094-730X\(98\)00021-7](https://doi.org/10.1016/S0094-730X(98)00021-7).
- Hughes
- Hurst, Melanie I., and Eugene B. Cooper. “Employer Attitudes toward Stuttering.” *Journal of Fluency Disorders* 8, no. 1 (March 1983): 1–12. [https://doi.org/10.1016/0094-730X\(83\)90017-7](https://doi.org/10.1016/0094-730X(83)90017-7).
- Hutchinson, John M., and Brenda M. Navarre. “The Effect of Metronome Pacing on Selected Aerodynamic Patterns of Stuttered Speech: Some Preliminary Observations and Interpretations.” *Journal of Fluency Disorders* 2, no. 3 (September 1977): 189–204. [https://doi.org/10.1016/0094-730X\(77\)90023-7](https://doi.org/10.1016/0094-730X(77)90023-7).

- Hwang, Sungjae, John Song, and Junghyeon Gim. "Harmonious Haptics: Enhanced Tactile Feedback Using a Mobile and a Wearable Device," 295–98. ACM Press, 2015.
<https://doi.org/10.1145/2702613.2725428>.
- Ingham, Roger J. *Stuttering and Behavior Therapy: Current Status and Experimental Foundations*. San Diego, Calif: College-Hill Press, 1984.
- Ingham, Roger J., and Anne K. Cordes. "Identifying the Authoritative Judgments of Stuttering: Comparisons of Self-Judgments and Observer Judgments." *Journal of Speech Language and Hearing Research* 40, no. 3 (June 1, 1997): 581.
<https://doi.org/10.1044/jslhr.4003.581>.
- Ingham, Roger J., Scott T. Grafton, Anne K. Bothe, and Janis C. Ingham. "Brain Activity in Adults Who Stutter: Similarities across Speaking Tasks and Correlations with Stuttering Frequency and Speaking Rate." *Brain and Language* 122, no. 1 (July 2012): 11–24.
<https://doi.org/10.1016/j.bandl.2012.04.002>.
- Ingham, Roger J., Richard A. Moglia, Peter Frank, Janis Costello Ingham, and Anne K. Cordes. "Experimental Investigation of the Effects of Frequency-Altered Auditory Feedback on the Speech of Adults Who Stutter." *Journal of Speech Language and Hearing Research* 40, no. 2 (April 1, 1997): 361. <https://doi.org/10.1044/jslhr.4002.361>.
- Iverach, Lisa, Mark Jones, Lauren F. McLellan, Heidi J. Lyneham, Ross G. Menzies, Mark Onslow, and Ronald M. Rapee. "Prevalence of Anxiety Disorders among Children Who Stutter." *Journal of Fluency Disorders* 49 (September 2016): 13–28.
<https://doi.org/10.1016/j.jfludis.2016.07.002>.
- Jacks, Adam, and Katarina L. Haley. "Auditory Masking Effects on Speech Fluency in Apraxia of Speech and Aphasia: Comparison to Altered Auditory Feedback." *Journal of Speech Language and Hearing Research* 58, no. 6 (December 1, 2015): 1670.
https://doi.org/10.1044/2015_JSLHR-S-14-0277.
- Johnson, Wendell, and Leonard Rosen. "Studies in the Psychology of Stuttering: VII: Effect of Certain Changes in Speech Pattern upon Frequency of Stuttering." *Journal of Speech Disorders* 2, no. 2 (June 1, 1937): 105. <https://doi.org/10.1044/jshd.0202.105>.
- Jones, Edward E, and Victor A Harris. "The Attribution of Attitudes." *Journal of Experimental Social Psychology* 3, no. 1 (January 1967): 1–24.
[https://doi.org/10.1016/0022-1031\(67\)90034-0](https://doi.org/10.1016/0022-1031(67)90034-0).
- Kalinowski, J., and A. Stuart. "Stuttering Amelioration at Various Auditory Feedback Delays and Speech Rates." *European Journal of Disorders of Communication: The Journal of the College of Speech and Language Therapists, London* 31, no. 3 (1996): 259–69.
- Kalinowski, J., A. Stuart, L. Wamsley, and M. P. Rastatter. "Effects of Monitoring Condition and Frequency-Altered Feedback on Stuttering Frequency." *Journal of Speech, Language, and Hearing Research: JSLHR* 42, no. 6 (December 1999): 1347–54.
- Kalinowski, Joseph, Joy Armson, Andrew Stuart, and Vincent L. Gracco. "Effects of Alterations in Auditory Feedback and Speech Rate on Stuttering Frequency." *Language and Speech* 36, no. 1 (January 1993): 1–16.
<https://doi.org/10.1177/002383099303600101>.
- Kalinowski, Joseph, Vijaya K. Guntupalli, Andrew Stuart, and Tim Saltuklaroglu. "Self-Reported Efficacy of an Ear-Level Prosthetic Device That Delivers Altered Auditory Feedback for the Management of Stuttering." *International Journal of Rehabilitation Research* 27, no. 2 (June 2004): 167–70.
<https://doi.org/10.1097/01.mrr.0000128063.76934.df>.

- Kalinowski, Joseph, Sandra Noble, Joy Armson, and Andrew Stuart. "Pretreatment and Posttreatment Speech Naturalness Ratings of Adults With Mild and Severe Stuttering." *American Journal of Speech-Language Pathology* 3, no. 2 (May 1, 1994): 61. <https://doi.org/10.1044/1058-0360.0302.61>.
- Kalinowski, Joseph, and Tim Saltuklaroglu. "Choral Speech: The Amelioration of Stuttering via Imitation and the Mirror Neuronal System." *Neuroscience and Biobehavioral Reviews* 27, no. 4 (September 2003): 339–47.
- . "The Road to Efficient and Effective Stuttering Management: Information for Physicians." *Current Medical Research and Opinion* 20, no. 4 (April 2004): 509–15. <https://doi.org/10.1185/030079904125003287>.
- Kalinowski, Joseph, Andrew Stuart, Michael P Rastatter, Gregory Snyder, and Vikram Dayalu. "Inducement of Fluent Speech in Persons Who Stutter via Visual Choral Speech." *Neuroscience Letters* 281, no. 2–3 (March 2000): 198–200. [https://doi.org/10.1016/S0304-3940\(00\)00850-8](https://doi.org/10.1016/S0304-3940(00)00850-8).
- Kalinowski, Joseph, Andrew Stuart, Sarah Sark, and Joy Armson. "Stuttering Amelioration at Various Auditory Feedback Delays and Speech Rates." *International Journal of Language & Communication Disorders* 31, no. 3 (January 1996): 259–69. <https://doi.org/10.3109/13682829609033157>.
- Kang, Changsoo, Sheikh Riazuddin, Jennifer Mundorff, Donna Krasnewich, Penelope Friedman, James C. Mullikin, and Dennis Drayna. "Mutations in the Lysosomal Enzyme-Targeting Pathway and Persistent Stuttering." *New England Journal of Medicine* 362, no. 8 (February 25, 2010): 677–85. <https://doi.org/10.1056/NEJMoa0902630>.
- Kell, Christian A., Katrin Neumann, Katharina von Kriegstein, Claudia Posenenske, Alexander W. von Gudenberg, Harald Euler, and Anne-Lise Giraud. "How the Brain Repairs Stuttering." *Brain* 132, no. 10 (October 2009): 2747–60. <https://doi.org/10.1093/brain/awp185>.
- Kidd, K. K., Kidd, J. R., & Records, M. A. (1978). The possible causes of the sex ratio in stuttering and its implications. *Journal of Fluency Disorders*, 3(1), 13-23. doi:10.1016/0094-730x(78)90003-7
- Klein, Joseph F., and Stephen B. Hood. "The Impact of Stuttering on Employment Opportunities and Job Performance." *Journal of Fluency Disorders* 29, no. 4 (January 2004): 255–73. <https://doi.org/10.1016/j.jfludis.2004.08.001>.
- Koedoot, Caroline, Clazien Bouwmans, Marie-Christine Franken, and Elly Stolk. "Quality of Life in Adults Who Stutter." *Journal of Communication Disorders* 44, no. 4 (July 2011): 429–43. <https://doi.org/10.1016/j.jcomdis.2011.02.002>.
- Kuhr, Armin, and Lena Rustin. "The Maintenance of Fluency after Intensive In-Patient Therapy: Long-Term Follow-Up." *Journal of Fluency Disorders* 10, no. 3 (September 1985): 229–36. [https://doi.org/10.1016/0094-730X\(85\)90013-0](https://doi.org/10.1016/0094-730X(85)90013-0).
- Kuniszyk-Józkowiak, W., E. Smółka, and B. Adamczyk. "Effect of Acoustical, Visual and Tactile Reverberation on Speech Fluency of Stutterers." *Folia Phoniatica et Logopaedica: Official Organ of the International Association of Logopedics and Phoniatrics (IALP)* 49, no. 1 (1997): 26–34.
- Kuniszyk-Józkowiak, Wiesława, Elżbieta Smółka, and Bogdan Adamczyk. "Effect of Acoustical, Visual and Tactile Reverberation on Speech Fluency of Stutterers." *Folia Phoniatica et Logopaedica* 49, no. 1 (1997): 26–34. <https://doi.org/10.1159/000266434>.

- Lass, Norman J., Dennis M. Ruscello, Mary D. Pannbacker, John F. Schmitt, and Debra S. Everly-Myers. "Speech-Language Pathologists' Perceptions of Child and Adult Female and Male Stutterers." *Journal of Fluency Disorders* 14, no. 2 (April 1989): 127–34. [https://doi.org/10.1016/0094-730X\(89\)90006-5](https://doi.org/10.1016/0094-730X(89)90006-5).
- Lass, Norman J., Dennis M. Ruscello, John F. Schmitt, Mary D. Pannbacker, Mary Banyas Orlando, Kathy A. Dean, Julie C. Ruziska, and Karen Harkins Bradshaw. "Teachers' Perceptions of Stutterers." *Language Speech and Hearing Services in Schools* 23, no. 1 (January 1, 1992): 78. <https://doi.org/10.1044/0161-1461.2301.73>.
- Lee, Wang-Sik, Changsoo Kang, Dennis Drayna, and Stuart Kornfeld. "Analysis of Mannose 6-Phosphate Uncovering Enzyme Mutations Associated with Persistent Stuttering." *Journal of Biological Chemistry* 286, no. 46 (November 18, 2011): 39786–93. <https://doi.org/10.1074/jbc.M111.295899>.
- Li, Jian, Hayley S. Arnold, and Ann Beste-Guldborg. "Reactions of Protective Service Workers towards People Who Stutter." *Journal of Fluency Disorders* 50 (December 2016): 1–12. <https://doi.org/10.1016/j.jfludis.2016.08.001>.
- Lincoln, Michelle, Ann Packman, and Mark Onslow. "Altered Auditory Feedback and the Treatment of Stuttering: A Review." *Journal of Fluency Disorders* 31, no. 2 (January 2006): 71–89. <https://doi.org/10.1016/j.jfludis.2006.04.001>.
- Macleod, Jennifer, Joseph Kalinowski, Andrew Stuart, and Joy Armson. "Effect of Single and Combined Altered Auditory Feedback on Stuttering Frequency at Two Speech Rates." *Journal of Communication Disorders* 28, no. 3 (September 1995): 217–28. [https://doi.org/10.1016/0021-9924\(94\)00010-W](https://doi.org/10.1016/0021-9924(94)00010-W).
- Maguire, Gerald A., Benjamin P. Yu, David L. Franklin, and Glyndon D. Riley. "Alleviating Stuttering with Pharmacological Interventions." *Expert Opinion on Pharmacotherapy* 5, no. 7 (July 2004): 1565–71. <https://doi.org/10.1517/14656566.5.7.1565>.
- Maguire, G. A., Riley, G. D., Franklin, D. L., & Gottschalk, L. A. (2000). Risperidone for the Treatment of Stuttering. *Journal of Clinical Psychopharmacology*, 20(4), 479-482. doi:10.1097/00004714-200008000-00013
- Maraist, Jean Ann, and Charles Hutton. "Effects Of Auditory Masking Upon The Speech Of Stutterers." *Journal of Speech and Hearing Disorders* 22, no. 3 (September 1, 1957): 385. <https://doi.org/10.1044/jshd.2203.385>.
- McClellan, M. D., R. M. Kroll, and N. S. Loftus. "Kinematic Analysis of Lip Closure in Stutterers' Fluent Speech." *Journal of Speech and Hearing Research* 33, no. 4 (December 1990): 755–60.
- McGee, L, J Kalinowski, and A Stuart. "Effect of a Videotape Documentary on High School Students' Perceptions of a High School Male Who Stutters." In *Canadian Journal of Speech-Language Pathology and Audiology*, 20:240–46, 1996.
- McKinnon, Shauna L., Carla W. Hess, and Richard G. Landry. "Reactions of College Students to Speech Disorders." *Journal of Communication Disorders* 19, no. 1 (February 1986): 75–82. [https://doi.org/10.1016/0021-9924\(86\)90005-5](https://doi.org/10.1016/0021-9924(86)90005-5).
- Metz, Dale Evan, Nicholas Schiavetti, and Pat Richard Sacco. "Acoustic and Psychophysical Dimensions of the Perceived Speech Naturalness of Nonstutterers and Posttreatment Stutterers." *Journal of Speech and Hearing Disorders* 55, no. 3 (August 1, 1990): 516. <https://doi.org/10.1044/jshd.5503.516>.

- Molenberghs, Pascal, Ross Cunnington, and Jason B. Mattingley. "Brain Regions with Mirror Properties: A Meta-Analysis of 125 Human FMRI Studies." *Neuroscience & Biobehavioral Reviews* 36, no. 1 (January 2012): 341–49.
<https://doi.org/10.1016/j.neubiorev.2011.07.004>.
- Molenberghs, Pascal, Lydia Hayward, Jason B. Mattingley, and Ross Cunnington. "Activation Patterns during Action Observation Are Modulated by Context in Mirror System Areas." *NeuroImage* 59, no. 1 (January 2012): 608–15.
<https://doi.org/10.1016/j.neuroimage.2011.07.080>.
- Mooney, S., & Smith, P. K. (2007). Bullying and the Child who Stammers. *British Journal of Special Education*, 22(1), 24-27. doi:10.1111/j.1467-8578.1995.tb00907.x
- Neef, V. G., and F. M. Huennekens. "Substrate and Inhibitor Complexes of Dihydrofolate Reductase from Amethopterin-Resistant L1210 Cells." *Archives of Biochemistry and Biophysics* 171, no. 2 (December 1975): 435–43.
- Nil, Luc F. De, Robert M. Kroll, Shitij Kapur, and Sylvain Houle. "A Positron Emission Tomography Study of Silent and Oral Single Word Reading in Stuttering and Nonstuttering Adults." *Journal of Speech Language and Hearing Research* 43, no. 4 (August 1, 2000): 1038. <https://doi.org/10.1044/jslhr.4304.1038>.
- O'Brian, Sue, Mark Onslow, Angela Cream, and Ann Packman. "The Camperdown Program: Outcomes of a New Prolonged-Speech Treatment Model." *Journal of Speech, Language, and Hearing Research: JSLHR* 46, no. 4 (August 2003): 933–46.
- Ocampo, Brenda, and Ada Kritikos. "Interpreting Actions: The Goal behind Mirror Neuron Function." *Brain Research Reviews* 67, no. 1–2 (June 2011): 260–67.
<https://doi.org/10.1016/j.brainresrev.2011.03.001>.
- Onslow, M. (2006). Connecting stuttering management and measurement: V. Deduction and induction in the development of stuttering treatment outcome measures and stuttering treatments. *International Journal of Language & Communication Disorders*, 41(4), 407-421. doi:10.1080/13682820600623788
- Onslow, Mark, Brett Hayes, Leanne Hutchins, and Denis Newman. "Speech Naturalness and Prolonged-Speech Treatments for Stuttering: Further Variables and Data." *Journal of Speech Language and Hearing Research* 35, no. 2 (April 1, 1992): 274.
<https://doi.org/10.1044/jshr.3502.274>.
- Ooki, Syuichi. "Genetic and Environmental Influences on Stuttering and Tics in Japanese Twin Children." *Twin Research and Human Genetics: The Official Journal of the International Society for Twin Studies* 8, no. 1 (February 2005): 69–75.
<https://doi.org/10.1375/1832427053435409>.
- Ornstein, Amy F., and Walter H. Manning. "Self-Efficacy Scaling by Adult Stutterers." *Journal of Communication Disorders* 18, no. 4 (August 1985): 313–20.
[https://doi.org/10.1016/0021-9924\(85\)90008-5](https://doi.org/10.1016/0021-9924(85)90008-5).
- Perkins, William H. "Learning from Negative Outcomes in Stuttering Therapy: II. An Epiphany of Failures." *Journal of Fluency Disorders* 8, no. 2 (June 1983): 155–60.
[https://doi.org/10.1016/0094-730X\(83\)90028-1](https://doi.org/10.1016/0094-730X(83)90028-1).
- Perkins, William H., Jody Bell, Linda Johnson, and Janice Stocks. "Phone Rate and the Effective Planning Time Hypothesis of Stuttering." *Journal of Speech Language and Hearing Research* 22, no. 4 (December 1, 1979): 747.
<https://doi.org/10.1044/jshr.2204.747>.

- Pollard, R., Ellis, J. B., Finan, D., & Ramig, P. R. (2009). Effects of the SpeechEasy on Objective and Perceived Aspects of Stuttering: A 6-Month, Phase I Clinical Trial in Naturalistic Environments. *Journal of Speech Language and Hearing Research*, 52(2), 516. doi:10.1044/1092-4388(2008/07-0204)
- Rautakoski, Pirkko, Therese Hannus, Susanna Simberg, N. Kenneth Sandnabba, and Pekka Santtila. "Genetic and Environmental Effects on Stuttering: A Twin Study from Finland." *Journal of Fluency Disorders* 37, no. 3 (September 2012): 202–10. <https://doi.org/10.1016/j.jfludis.2011.12.003>.
- Raza, M Hashim, Carlos E F Domingues, Ronald Webster, Eduardo Sainz, Emily Paris, Rachel Rahn, Joanne Gutierrez, et al. "Mucopolidosis Types II and III and Non-Syndromic Stuttering Are Associated with Different Variants in the Same Genes." *European Journal of Human Genetics* 24, no. 4 (April 2016): 529–34. <https://doi.org/10.1038/ejhg.2015.154>.
- Raza, M. Hashim, E. Michael Gertz, Jennifer Mundorff, Joseph Lukong, Judith Kuster, Alejandro A. Schäffer, and Dennis Drayna. "Linkage Analysis of a Large African Family Segregating Stuttering Suggests Polygenic Inheritance." *Human Genetics* 132, no. 4 (April 2013): 385–96. <https://doi.org/10.1007/s00439-012-1252-5>.
- Raza, M. Hashim, Rafael Mattera, Robert Morell, Eduardo Sainz, Rachel Rahn, Joanne Gutierrez, Emily Paris, et al. "Association between Rare Variants in AP4E1, a Component of Intracellular Trafficking, and Persistent Stuttering." *The American Journal of Human Genetics* 97, no. 5 (November 2015): 715–25. <https://doi.org/10.1016/j.ajhg.2015.10.007>.
- Raza, Muhammad Hashim, Rana Amjad, Sheikh Riazuddin, and Dennis Drayna. "Studies in a Consanguineous Family Reveal a Novel Locus for Stuttering on Chromosome 16q." *Human Genetics* 131, no. 2 (February 2012): 311–13. <https://doi.org/10.1007/s00439-011-1134-2>.
- Raza, Muhammad Hashim, Sheikh Riazuddin, and Dennis Drayna. "Identification of an Autosomal Recessive Stuttering Locus on Chromosome 3q13.2–3q13.33." *Human Genetics* 128, no. 4 (October 2010): 461–63. <https://doi.org/10.1007/s00439-010-0871-y>.
- Riaz, Naveeda, Stacy Steinberg, Jamil Ahmad, Anna Pluzhnikov, Sheikh Riazuddin, Nancy J. Cox, and Dennis Drayna. "Genomewide Significant Linkage to Stuttering on Chromosome 12." *American Journal of Human Genetics* 76, no. 4 (April 2005): 647–51. <https://doi.org/10.1086/429226>.
- Rizzolatti, G., and M. A. Arbib. "Language within Our Grasp." *Trends in Neurosciences* 21, no. 5 (May 1998): 188–94.
- Rizzolatti, Giacomo, and Laila Craighero. "THE MIRROR-NEURON SYSTEM." *Annual Review of Neuroscience* 27, no. 1 (July 21, 2004): 169–92. <https://doi.org/10.1146/annurev.neuro.27.070203.144230>.
- Ryan, B. P., and B. Van Kirk. "The Establishment, Transfer, and Maintenance of Fluent Speech in 50 Stutterers Using Delayed Auditory Feedback and Operant Procedures." *The Journal of Speech and Hearing Disorders* 39, no. 1 (February 1974): 3–10.
- Salmelin, R., Schnitzler, A., Schmitz, F., Jäncke, L., Witte, O. W., & Freund, H. (1998). Functional organization of the auditory cortex is different in stutterers and fluent speakers. *NeuroReport*, 9(10), 2225-2229. doi:10.1097/00001756-199807130-00014

- Saltuklaroglu, T., V.N. Dayalu, and J. Kalinowski. "Reduction of Stuttering: The Dual Inhibition Hypothesis." *Medical Hypotheses* 58, no. 1 (January 2002): 67–71. <https://doi.org/10.1054/mehy.2001.1452>.
- Saltuklaroglu, Tim, and Joseph Kalinowski. "How Effective Is Therapy for Childhood Stuttering? Dissecting and Reinterpreting the Evidence in Light of Spontaneous Recovery Rates." *International Journal of Language & Communication Disorders* 40, no. 3 (January 2005): 359–74. <https://doi.org/10.1080/13682820400027735>.
- . "The Inhibition of Stuttering Via the Perceptions and Production of Syllable Repetitions." *International Journal of Neuroscience* 121, no. 1 (January 2011): 44–49. <https://doi.org/10.3109/00207454.2011.536361>.
- Saltuklaroglu, Tim, Joseph Kalinowski, and Vijaya K. Guntupalli. "TOWARDS A COMMON NEURAL SUBSTRATE IN THE IMMEDIATE AND EFFECTIVE INHIBITION OF STUTTERING." *International Journal of Neuroscience* 114, no. 4 (January 2004): 435–50. <https://doi.org/10.1080/00207450490422687>.
- Schmader, Toni, Michael Johns, and Chad Forbes. "An Integrated Process Model of Stereotype Threat Effects on Performance." *Psychological Review* 115, no. 2 (April 2008): 336–56. <https://doi.org/10.1037/0033-295X.115.2.336>.
- Seider, R. A., Kidd, K. K., & Gladstien, K. L. (1983). Recovery and Persistence of Stuttering among Relatives of Stutterers. *Journal of Speech and Hearing Disorders*, 48(4), 402. doi:10.1044/jshd.4804.402
- Sekaquaptewa, Denise, and Mischa Thompson. "Solo Status, Stereotype Threat, and Performance Expectancies: Their Effects on Women's Performance." *Journal of Experimental Social Psychology* 39, no. 1 (January 2003): 68–74. [https://doi.org/10.1016/S0022-1031\(02\)00508-5](https://doi.org/10.1016/S0022-1031(02)00508-5).
- Shugart, Yin Yao, Jennifer Mundorff, James Kilshaw, Kimberly Doheny, Betty Doan, Jacqueline Wanyee, Eric D. Green, and Dennis Drayna. "Results of a Genome-Wide Linkage Scan for Stuttering." *American Journal of Medical Genetics. Part A* 124A, no. 2 (January 15, 2004): 133–35. <https://doi.org/10.1002/ajmg.a.20347>.
- Silverman, Ellen-Marie. "Speech—Language Clinicians' and University Students' Impressions of Women and Girls Who Stutter." *Journal of Fluency Disorders* 7, no. 4 (December 1982): 469–78. [https://doi.org/10.1016/0094-730X\(82\)90022-5](https://doi.org/10.1016/0094-730X(82)90022-5).
- Snyder, Gregory J., Monica Strauss Hough, Paul Blanchet, Lennette J. Ivy, and Dwight Waddell. "The Effects of Self-Generated Synchronous and Asynchronous Visual Speech Feedback on Overt Stuttering Frequency." *Journal of Communication Disorders* 42, no. 3 (May 2009): 235–44. <https://doi.org/10.1016/j.jcomdis.2009.02.002>.
- Snyder, Gregory J., Dwight Waddell, Paul Blanchet, and Lennette J. Ivy. "Effects of Digital Vibrotactile Speech Feedback on Overt Stuttering Frequency." *Perceptual and Motor Skills* 108, no. 1 (February 2009): 271–80. <https://doi.org/10.2466/pms.108.1.271-280>.
- Snyder, Gregory J., Dwight E. Waddell, and Paul Blanchet. "Mirror Neurons as a Model for the Science and Treatment of Stuttering." *NeuroReport* 27, no. 1 (January 2016): 56–60. <https://doi.org/10.1097/WNR.0000000000000500>.
- . "Mirror Neurons as a Model for the Science and Treatment of Stuttering." *NeuroReport* 27, no. 1 (January 2016): 56–60. <https://doi.org/10.1097/WNR.0000000000000500>.
- Snyder, Gregory, and Madison R. Jones. "The Role of Mirror Neurons Relative to the Core Stuttering Pathology and Compensatory Stuttering Behaviors." *Clinical Archives of*

- Communication Disorders* 2, no. 1 (April 30, 2017): 1–6.
<https://doi.org/10.21849/cacd.2017.00059>.
- Sowman, Paul F., Stephen Crain, Elisabeth Harrison, and Blake W. Johnson. “Reduced Activation of Left Orbitofrontal Cortex Precedes Blocked Vocalization: A Magnetoencephalographic Study.” *Journal of Fluency Disorders* 37, no. 4 (December 2012): 359–65. <https://doi.org/10.1016/j.jfludis.2012.05.001>.
- Sparks, Garen, Dorothy E Grant, Kathleen Millay, Delaina Walker-Batson, and Linda S Hynan. “The Effect of Fast Speech Rate on Stuttering Frequency during Delayed Auditory Feedback.” *Journal of Fluency Disorders* 27, no. 3 (September 2002): 187–201. [https://doi.org/10.1016/S0094-730X\(02\)00128-6](https://doi.org/10.1016/S0094-730X(02)00128-6).
- Starkweather, C. Woodruff. *Fluency and Stuttering*. Englewood Cliffs, N.J: Prentice-Hall, 1987.
- Steele, C. M., and J. Aronson. “Stereotype Threat and the Intellectual Test Performance of African Americans.” *Journal of Personality and Social Psychology* 69, no. 5 (November 1995): 797–811.
- Stewart, Trudy, and Gillian Richardson. “A Qualitative Study of Therapeutic Effect from a User’s Perspective.” *Journal of Fluency Disorders* 29, no. 2 (January 2004): 95–108. <https://doi.org/10.1016/j.jfludis.2003.11.001>.
- Story, Robin Seider, Peter J. Alfonso, and Katherine S. Harris. “Pre- and Posttreatment Comparison of the Kinematics of the Fluent Speech of Persons Who Stutter.” *Journal of Speech Language and Hearing Research* 39, no. 5 (October 1, 1996): 991. <https://doi.org/10.1044/jshr.3905.991>.
- Stuart, A., J. Kalinowski, and M. P. Rastatter. “Effect of Monaural and Binaural Altered Auditory Feedback on Stuttering Frequency.” *The Journal of the Acoustical Society of America* 101, no. 6 (June 1997): 3806–9.
- Stuart, Andrew, and Joseph Kalinowski. “The Perception of Speech Naturalness of Post-Therapeutic and Altered Auditory Feedback Speech of Adults with Mild and Severe Stuttering.” *Folia Phoniatica et Logopaedica* 56, no. 6 (2004): 347–57. <https://doi.org/10.1159/000081082>.
- Stuart, Andrew, Joseph Kalinowski, Joy Armson, Robert Stenstrom, and Kathleen Jones. “Fluency Effect of Frequency Alterations of Plus/Minus One-Half and One-Quarter Octave Shifts in Auditory Feedback of People Who Stutter.” *Journal of Speech Language and Hearing Research* 39, no. 2 (April 1, 1996): 396. <https://doi.org/10.1044/jshr.3902.396>.
- Stuart, Andrew, Joseph Kalinowski, Michael P. Rastatter, Tim Saltuklaroglu, and Vikram Dayalu. “Investigations of the Impact of Altered Auditory Feedback In-the-ear Devices on the Speech of People Who Stutter: Initial Fitting and 4-month Follow-up.” *International Journal of Language & Communication Disorders* 39, no. 1 (January 2004): 93–113. <https://doi.org/10.1080/13682820310001616976>.
- Suresh, Rathi, Nicoline Ambrose, Cheryl Roe, Anna Pluzhnikov, Jacqueline K. Wittke-Thompson, Maggie C.-Y. Ng, Xiaolin Wu, et al. “New Complexities in the Genetics of Stuttering: Significant Sex-Specific Linkage Signals.” *American Journal of Human Genetics* 78, no. 4 (April 2006): 554–63. <https://doi.org/10.1086/501370>.
- Turnbaugh, Karen R., Barry E. Guitar, and Paul R. Hoffman. “Speech Clinicians’ Attribution of Personality Traits as a Function of Stuttering Severity.” *Journal of Speech Language*

- and Hearing Research* 22, no. 1 (March 1, 1979): 37.
<https://doi.org/10.1044/jshr.2201.37>.
- Van Borsel, John. "Acquired Stuttering: A Note on Terminology." *Journal of Neurolinguistics* 27, no. 1 (January 2014): 41–49. <https://doi.org/10.1016/j.jneuroling.2013.09.003>.
- Van Borsel, John, Gert Reunes, and Nathalie Van den Bergh. "Delayed Auditory Feedback in the Treatment of Stuttering: Clients as Consumers." *International Journal of Language & Communication Disorders* 38, no. 2 (January 2003): 119–29.
<https://doi.org/10.1080/1368282021000042902>.
- Van Riper, C. *The Nature of Stuttering*. Prentice-Hall, 1982.
<https://books.google.com/books?id=Yq5rAAAAMAAJ>.
- Van Riper, Charles. *The Treatment of Stuttering*. Englewood Cliffs, N.J: Prentice-Hall, 1973.
- Vanhoutte, Sarah, Marjan Cosyns, Pieter van Mierlo, Katja Batens, Paul Corthals, Miet De Letter, John Van Borsel, and Patrick Santens. "When Will a Stuttering Moment Occur? The Determining Role of Speech Motor Preparation." *Neuropsychologia* 86 (June 2016): 93–102. <https://doi.org/10.1016/j.neuropsychologia.2016.04.018>.
- Vanhoutte, Sarah, Patrick Santens, Marjan Cosyns, Pieter van Mierlo, Katja Batens, Paul Corthals, Miet De Letter, and John Van Borsel. "Increased Motor Preparation Activity during Fluent Single Word Production in DS: A Correlate for Stuttering Frequency and Severity." *Neuropsychologia* 75 (August 2015): 1–10.
<https://doi.org/10.1016/j.neuropsychologia.2015.05.013>.
- Viswanath, Nagalapura, Hee Suk Lee, and Ranajit Chakraborty. "Evidence for a Major Gene Influence on Persistent Developmental Stuttering." *Human Biology* 76, no. 3 (2004): 401–12. <https://doi.org/10.1353/hub.2004.0050>.
- Waddell, Dwight E., Paul M. Goggans, and Gregory J. Snyder. "Novel Tactile Feedback to Reduce Overt Stuttering." *NeuroReport* 23, no. 12 (August 2012): 727–30.
<https://doi.org/10.1097/WNR.0b013e328356b108>.
- Watkins, K. E., S. M. Smith, S. Davis, and P. Howell. "Structural and Functional Abnormalities of the Motor System in Developmental Stuttering." *Brain* 131, no. 1 (December 3, 2007): 50–59. <https://doi.org/10.1093/brain/awm241>.
- Watkins, Kate E., Stephen M. Smith, Steve Davis, and Peter Howell. "Structural and Functional Abnormalities of the Motor System in Developmental Stuttering." *Brain: A Journal of Neurology* 131, no. Pt 1 (January 2008): 50–59.
<https://doi.org/10.1093/brain/awm241>.
- Webster, Ronald L. "Evolution of a Target-Based Behavioral Therapy for Stuttering." *Journal of Fluency Disorders* 5, no. 3 (September 1980): 303–20. [https://doi.org/10.1016/0094-730X\(80\)90035-2](https://doi.org/10.1016/0094-730X(80)90035-2).
- Williams, Dale F., and Susan Dietrich. "Effects of Speech and Language Disorders on Raters' Perceptions." *Journal of Communication Disorders* 29, no. 1 (January 1996): 1–12.
[https://doi.org/10.1016/0021-9924\(94\)00014-X](https://doi.org/10.1016/0021-9924(94)00014-X).
- Williams, Dale F., and Susan Dietrich. "Perceptions of Communicative Disorders." *Journal of Communication Disorders* 34, no. 4 (July 2001): 355–66. [https://doi.org/10.1016/S0021-9924\(01\)00055-7](https://doi.org/10.1016/S0021-9924(01)00055-7).
- Williams, D.F. *Stuttering Recovery: Personal and Empirical Perspectives*. Taylor & Francis, 2006. <https://books.google.com/books?id=fMZ4AgAAQBAJ>.

- Williams, J.H.G., A. Whiten, T. Suddendorf, and D.I. Perrett. "Imitation, Mirror Neurons and Autism." *Neuroscience & Biobehavioral Reviews* 25, no. 4 (June 2001): 287–95.
[https://doi.org/10.1016/S0149-7634\(01\)00014-8](https://doi.org/10.1016/S0149-7634(01)00014-8).
- Wittke-Thompson, Jacqueline K., Nicoline Ambrose, Ehud Yairi, Cheryl Roe, Edwin H. Cook, Carole Ober, and Nancy J. Cox. "Genetic Studies of Stuttering in a Founder Population." *Journal of Fluency Disorders* 32, no. 1 (2007): 33–50.
<https://doi.org/10.1016/j.jfludis.2006.12.002>.
- Woods, C. Lee, and Dean E. Williams. "Speech Clinicians' Conceptions of Boys and Men Who Stutter." *Journal of Speech and Hearing Disorders* 36, no. 2 (May 1, 1971): 225.
<https://doi.org/10.1044/jshd.3602.225>.
- . "Traits Attributed to Stuttering and Normally Fluent Males." *Journal of Speech Language and Hearing Research* 19, no. 2 (June 1, 1976): 267.
<https://doi.org/10.1044/jshr.1902.267>.
- Wu, J. C., G. Maguire, G. Riley, J. Fallon, L. LaCasse, S. Chin, E. Klein, C. Tang, S. Cadwell, and S. Lottenberg. "A Positron Emission Tomography [18F]Deoxyglucose Study of Developmental Stuttering." *Neuroreport* 6, no. 3 (February 15, 1995): 501–5.
- Wu, J. C., G. Maguire, G. Riley, A. Lee, D. Keator, C. Tang, J. Fallon, and A. Najafi. "Increased Dopamine Activity Associated with Stuttering." *Neuroreport* 8, no. 3 (February 10, 1997): 767–70.
- Xuan, Yun, Chun Meng, Yanhui Yang, Chaozhe Zhu, Liang Wang, Qian Yan, Chunlan Lin, and Chunshui Yu. "Resting-State Brain Activity in Adult Males Who Stutter." Edited by Antoni Rodriguez-Fornells. *PLoS ONE* 7, no. 1 (January 20, 2012): e30570.
<https://doi.org/10.1371/journal.pone.0030570>.
- Yairi, Ehud, Ambrose, N. G., Paden, E. P., & Throneburg, R. N. (1996). Predictive factors of persistence and recovery: Pathways of childhood stuttering. *Journal of Communication Disorders*, 29(1), 51-77. doi:10.1016/0021-9924(95)00051-8
- Yairi, Ehud, and Nicoline Grinager Ambrose. "Early Childhood Stuttering I: Persistency and Recovery Rates." *Journal of Speech Language and Hearing Research* 42, no. 5 (October 1, 1999): 1097. <https://doi.org/10.1044/jslhr.4205.1097>.
- Yairi, Ehud, Nicoline Grinager Ambrose, and Rebecca Niermann. "The Early Months of Stuttering: A Developmental Study." *Journal of Speech Language and Hearing Research* 36, no. 3 (June 1, 1993): 521. <https://doi.org/10.1044/jshr.3603.521>.
- Yairi, Ehud, and Dean E. Williams. "Speech Clinician's Stereotypes of Elementary-School Boys Who Stutter." *Journal of Communication Disorders* 3, no. 3 (November 1970): 161–70. [https://doi.org/10.1016/0021-9924\(70\)90012-2](https://doi.org/10.1016/0021-9924(70)90012-2).
- Yaruss, J. Scott. "Assessing Quality of Life in Stuttering Treatment Outcomes Research." *Journal of Fluency Disorders* 35, no. 3 (September 2010): 190–202.
<https://doi.org/10.1016/j.jfludis.2010.05.010>.
- Yaruss, J. Scott, and Robert W. Quesal. "Overall Assessment of the Speaker's Experience of Stuttering (OASES): Documenting Multiple Outcomes in Stuttering Treatment." *Journal of Fluency Disorders* 31, no. 2 (January 2006): 90–115.
<https://doi.org/10.1016/j.jfludis.2006.02.002>.
- Yaruss, J. Scott, Robert W. Quesal, Lee Reeves, Lawrence F. Molt, Brett Kluetz, Anthony J. Caruso, James A. McClure, and Fred Lewis. "Speech Treatment and Support Group Experiences of People Who Participate in the National Stuttering Association." *Journal of Fluency Disorders* 27, no. 2 (2002): 115–33; quiz 133–34.

Yeakle, Mary Kaye, and Eugene B. Cooper. "Teacher Perceptions of Stuttering." *Journal of Fluency Disorders* 11, no. 4 (December 1986): 345–59. [https://doi.org/10.1016/0094-730X\(86\)90022-7](https://doi.org/10.1016/0094-730X(86)90022-7).

Zimmerman, Stephen, Joseph Kalinowski, Andrew Stuart, and Michael Rastatter. "Effect of Altered Auditory Feedback on People Who Stutter During Scripted Telephone Conversations." *Journal of Speech Language and Hearing Research* 40, no. 5 (October 1, 1997): 1130. <https://doi.org/10.1044/jslhr.4005.1130>.